



## **Specifications**

## **SMART Board® MX186 interactive flat panel**

Model SBID-MX186

#### Overview

Digital whiteboard. Web browser. Screen sharing. Our newest SMART Board® MX series has all the essentials educators need for bringing the devices students love into any learning environment. The SMART Board MX series is a great value for schools that need an interactive display on a budget. Available in 65", 75" and 86" sizes—all in 4K Ultra HD resolution—with SMART Learning Suite included, and a standard three-year warranty.




The display includes a subscription for SMART Learning Suite applications, including SMART Notebook® lessons, SMART lab™ activities and SMART amp® software workspaces.

The built-in e³ experience puts everything you need in one place, available at the touch of a finger. There's a browser, a digital whiteboard and wireless screen sharing for iOS and Android™ mobile devices and a wide variety of computers

## Dimensions and weights<sup>1</sup>

#### **Dimensions**



#### Weight

173 lb. (78.3 kg)

#### Active touch area

76 3/8" × 43 3/4" (194.1 cm × 111.2 cm)

#### Active image area

74 5/8" × 42" (189.5 cm × 106.6 cm)

# Shipping dimensions (including pallet)

85 1/4" W × 57 3/8" H × 11 5/8" D (216.5 cm× 145.7 cm × 29.5 cm)

#### **Shipping weight**

240 lb. (109 kg)

 $<sup>^{1}</sup>$ All dimensions  $\pm$  1/8" (0.3 cm). All weights  $\pm$  2 lb. (0.9 kg).

## Hardware

## Interaction

Touch technology	IR
Multitouch capabilities	Up to 10 simultaneous touch, writing or erase points <sup>2</sup>
Object awareness	Behavior adjusts automatically to the tool or object you're using, whether it's a pen, finger or palm.
Display	
Туре	LED backlit
Aspect ratio	16:9
Resolution	4K UHD
Positioning accuracy	<2 mm
Horizontal frequency (minimum)	31 Hz
Horizontal frequency (maximum)	140 kHz
Vertical frequency (minimum)	59 Hz
Vertical frequency (maximum)	70 Hz
Contrast ratio (typical)	1600:1
Brightness (maximum)	≥350 cd/m²
Refresh frequency	60 Hz
Pixel clock (maximum)	600 MHz
Pixel dimensions	0.49 mm
Viewing angle	178°
Response time (typical)	8 ms
Ambient light sensor	Yes
Audio	10 W integrated speakers (×2)

 $<sup>{}^2\</sup>text{Requires SMART Product Drivers to be installed. Some applications might not support all touch points.}$ 

Included cables and

Country-specific power cable

accessories

16' 5" (5 m) USB cable Wall mount bracket kit

Pen (×2) Antennas (×2) IR remote control

Mounting holes

For a standard VESA® 700 mm × 400 mm mounting plate with M8 screws



A wall mount is included with the display.

Mounting bracket depth

Minimum clearance depth of  $1\,1/4$ " (3 cm) for all components on the back of the interactive display for airflow

#### Connectors

Back Connector panel:

HDMI® in (with HDCP 2.2 support) (×2)

VGA in RJ45 (×2)

USB Type-B (for touch applications) (×1)

USB 2.0 Type-A (×2)

HDMI 1.4 out (HDCP-compliant)<sup>34</sup>

S/PDIF out

Stereo 3.5 mm out

Stereo 3.5 mm in (for VGA in)

OPS slot RS-232 control

Front HDMI in (with HDCP 1.4 support)

USB Type-B (for touch applications)

USB Type-A (×2)

## **Applications**

Interactive display Whiteboard

Web browser

EShare wireless screen share

One-year subscription to SMART Learning Suite

 $<sup>^3</sup>$ HDCP is always enabled. Content is shown in 480p resolution if the external display doesn't support HDCP.

 $<sup>^{4}\</sup>text{HDMI out is an optional feature. Contact your authorized SMART reseller (smarttech.com/where) for further ordering instructions.}$ 

#### SMART BOARD MX186 INTERACTIVE FLAT PANEL

Supported languages for e<sup>3</sup> experience

Danish Dutch English Finnish

> French German Italian Norwegian Russian

Simplified Chinese

Spanish Swedish

## Installation requirements

Interactive display

See the SMART Board MX100 series interactive displays installation and maintenance guide (smarttech.com/kb/171288)

#### Room computers and guest laptops

General requirements See the SMART Notebook software release notes

4K UHD Graphics card that supports 3840 × 2160 resolution at 30 Hz and that has 1 GB DDR 5 memory

See Minimum requirements for Ultra High Definition or 4K on your interactive flat panel

#### Mini-computers

General requirements See the SMART Notebook software release notes

Bracket Optional bracket available

## Cable requirements

## **HDMI** Maximum length: 23' (7 m)

#### NOTES

- Use only certified HDMI cables that have been tested to support the performance standard you require
- The performance of cables longer than 23' (7 m) is highly dependent on the cable's quality

#### **USB** Maximum length: 16' (5 m)

#### **Important**

Using cables that are longer than these maximum lengths can produce unexpected results, such as degraded picture quality or USB connectivity. Refer to *SMART installation standards* (smarttech.com/kb/171035) for comprehensive information about cables and extensions for SMART hardware products.

## Storage and operating requirements

Power requirements 100V to 240V AC, 50 Hz to 60 Hz

Standalone interactive display power consumption at 77°F (25°C)

Standby mode ≤0.3 W

Normal operating

250 W

(out-of-box)

Operating temperature 41–95°F (5–35°C)

Storage temperature -4-140°F (-20-60°C)

**Humidity** 5–80% relative humidity, non-condensing

## Certification and compliance

Regulatory certification (Model ID: IDX86-1)

UL (U.S./Canada), FCC, IC, CE, EAC, RCM, NRCS, SABS, CITC, TRA

**Environmental compliance** 

European Union REACH, RoHS, Battery, WEEE and Packaging

U.S. CONEG Packaging, California Proposition 65 and Conflict Minerals

## Purchasing information

Order number

SBID-MX186 SMART Board MX186 interactive display

Optional accessories

Other See smarttech.com/accessories

Warranty Three-year limited equipment warranty

**Extended warranty** 

EWY1-SBID-MX186 SBID-MX186 interactive display one-year warranty extension

EWY2-SBID-MX186 SBID-MX186 interactive display two-year warranty extension

smarttech.com/support smarttech.com/contactsupport

<sup>© 2018</sup> SMART Technologies ULC. All rights reserved. SMART Board, SMART Notebook, SMART lab, SMART amp, SMART response 2, DViT, Pen ID, Object Awareness, smarttech, the SMART logo and all SMART taglines are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries. iPhone, iPad, iPod touch and Safari are trademarks of Apple Inc., registered in the U.S. and other countries. Google Play, Android and Chrome are trademarks of Google Inc. All other third-party product and company names may be trademarks of their respective owners. This product and/or use thereof is covered by one or more of the following U.S. patents: www.smarttech.com/patents. Contents are subject to change without notice. 06-2018.